

Model D27



Tank Capacity: 3ML
Battery Capacity: 400mAh
Oil inlet hole:4*1.8mm
Resistance :1.4ohm
Dimensions: mm
Type-C Charging Enabled
Available for Customization

Model D28



Capacity :5.0ml
Battery capacity: 300 mAh
Oil inlet hole:4*2.0mm
Size :20*11*102mm
Resistance: 1.2ohm
Typ-C charging port
With preheat function


Model D29



Capacity :1.0/2.0 ml
1. Battery capacity : 280 mah
2 oil intake hole : 4*2.0 mm
3. Size :35*11.5*61mm
4. Resistance:1.2 ohm
5. Typ-C charging port



Model D30



Tank Capacity: 4ML/6 ML
Battery Capacity: 280mAh
Dimensions: 38*74*14mm
Oil inlet hole:4*2.0mm
Resistance :1.4ohm
Type-C Charging Enabled
Available for Customization

Model D31



Capacity :2.5ml/4.0ml
Battery capacity: 300 mAh
Oil inlet hole:4*2.0mm
Size :71*41*16MM
Resistance: 1.4ohm
Typ-C charging port
With preheat function

Model D32



Capacity :4.0 ml
1. Battery capacity : 300 mah
2 oil intake hole : 4*2.0 mm
3. Size :90*40*15mm
4. Resistance:1.4 ohm
5. Typ-C charging port

Private model D01



1. Battery capacity : 400 mah
2. Size : 105*20*10mm
3. Ceramic core
4. E liquid capacity : **1.0/2 ml**
5. weight :21.8g
6. Charging method: rechargeable

Model D02



Oil capacity: **1.0ml/2.0ml**
Battery capacity: 280mAh
Intake hole: 4*1.2mm
Resistance: 1 .2ohm
Size:110*19.5*9mm
Type C charging port

Model D16



Oil capacity :2ml /3ml
Battery capacity : 350 mah
oil intake hole : 4*2.0 mm
Resistance:1.5 ohm
Size:71.5*34.7mm
Type C charging port

Model D03



Oil capacity: 0.5ml、 1.0 ml
Battery capacity: 280 mAh
Tank coil: Vertical ceramic coil
Intake hole: 2*2.0mm
Resistance: 1 .4ohm
Type C charging port

Model D04



Oil capacity: 0.5ml、 1.0 ml
Battery capacity: 280 mAh
Tank coil: Vertical ceramic coil
Intake hole: 4*1.2mm
Resistance: 1 .4ohm
Micro USB charging port

Model D05



Oil capacity: 1.0ml
Battery capacity: 280mAh
Intake hole: 4*1.2mm
Resistance: 1 .3ohm
Size: 91*17.5*13mm
Rechargeable usb charging port

Model D06



Oil capacity: **1.0ml**
Battery capacity: 280mAh
Intake hole: 2*1.8mm
Resistance: 1 .4ohm
Size:15*101mm
Rechargeable usb charging port

Model D07



1ml Preheat button function
Oil capacity: **1.0ml**
Battery capacity: 350mAh
Size:118.5*19.6*8.9mm
Intake hole: 2*2.0mm
Resistance: 1 .4ohm
Micro usb charging port

Model D08



preheat button function
Oil capacity: **0.5ml 1.0ml 2.0ml**
Battery capacity: 280mAh
Intake hole: 4*1.2mm
Resistance: 1 .3ohm
Size:125*19*8mm
Rechargeable usb charging port

Model D09



POSTLESS ,COTTONLESS
Oil capacity: **1.0ml**
Battery capacity: 280mAh
Size:90*18*10mm
Resistance: 1 .3ohm
Type C charging port

Model D10



POSTLESS ,COTTONLESS
Oil capacity: **1.0ml**
Battery capacity: 280mAh
Size:107*17.3*9.3mm
Resistance: 1 .3ohm
Type C charging port

Model D11



POSTLESS ,COTTONLESS
Oil capacity: **0.5+0.5ml、 1.0+1.0ml**
Battery capacity: 300mAh
Resistance: 1 .3ohm
Size:95/106*30*10mm
Type C charging port

Model D12



Oil capacity: **2.0ml**
Battery capacity: 300mAh
Intake hole: 4*1.2mm
Resistance: 1 .4ohm
Size:81*32*15mm
Type C charging port

Model D15



Oil capacity: **2.0ml**
Battery capacity: 300mAh
Intake hole: 4*1.2mm
Resistance: 1 .4ohm
Size:102*25*12mm
Rechargeable usb charging port

Model D17



Oil capacity: **2.0ml**
Battery capacity: 300mAh
Intake hole: 4*1.2mm
Resistance: 1 .4ohm
Size:98*22*11mm
Type C charging port

Model D18



Cotton free ceramic coil

Oil capacity: 2.0 ml

Battery capacity: 280 mAh

Size: 95.5*20*10mm

Tank coil: Vertical ceramic coil

Intake hole: 4*1.5mm

Resistance: 1 .3ohm

Rechargeable usb charging port

Model D19



Cotton free ceramic coil

Oil capacity: 1.0 ml

Battery capacity: 280 mAh

Tank coil: Vertical ceramic coil

Intake hole: 4*1.5mm

Resistance: 1 .3ohm

Rechargeable usb charging port

Model D20



Battery capacity: 280mAh

Oil capacity: 1.0ml

Size:102.5*18.5*9mm

Tank coil: Vertical ceramic coil

Intake hole: 4*1.2mm

Resistance: 1 .4ohm

Typc C charging port

Model D21



Battery capacity: 350 mAh
Size: 10.5*20*116.5 mm
Oil capacity: **2 ml**
Tank coil: Vertical ceramic coil
Intake hole: 4*1.8mm
Preheat function
Resistance: 1.4ohm
Type C charging port

Model D22



Oil capacity: **3ml**
Battery capacity: 350 mAh
Tank coil: Vertical ceramic coil
Intake hole: 4*1.8mm
Preheat function
Resistance: 1.4ohm
Type C charging port

Model D23



Battery capacity: 310mAh
Oil capacity: 2.0/2.5 ml
Tank coil: Vertical ceramic coil
Intake hole: 4*2.0 mm
Resistance: 0.9ohm
Rechargeable usb charging port

Cake V4 model



Oil capacity: 1.0 ml
Battery capacity: 320 mAh
Tank coil: Vertical ceramic coil
Intake hole: 4*1.0mm
Resistance: 1 .4ohm
Type C charging port
20 flavors

10/10



Oil capacity: 1.0 ml
Battery Capacity: 350mAh
Resistance: 1.4ohms
oil hole: 2*2.0mm
Size:98*17.5*8.8mm
Type C charging port

Alien Labs



Oil capacity: 1.0 ml
Battery Capacity: 350mAh
Resistance: 1.2ohms
oil hole: 4*1.5mm
Type C charging port

Zero model



1. Capacity :1.0 ml
2. Battery capacity : 280 MA
- 3 oil intake hole : 2*2.0 mm
4. Resistance:1.5 ohm
5. weight :18 g

Jungle boys



- Oil capacity: 1.0ml
Battery capacity: 280mAh
Size:18*8.5*114 mm
Intake hole: 2*2.0mm
Resistance: 1 .4ohm
Rechargeable usb charging port

Dabwoods /Runty



- Oil capacity: 1.0ml
Battery capacity: 280mAh
Intake hole: 2*1.8mm
Resistance: 1 .4ohm
Size :112*21.5*9mm
Rechargeable usb charging port

Turn



Oil capacity: 1.0ml **postless**
Battery capacity: 280mAh
Resistance: 1 .1ohm
Size: 93.5*20.4*11.4mm
Type C charging port

Cake V7



Oil capacity: 2.0ml **postless**
Battery capacity: 300mAh
Resistance: 1 .1ohm
Size :84.5*32.4*10.9mm
Type C charging port

Choice Slab



Oil capacity: **0.5+0.5ml**
Battery capacity: 300mAh
Resistance: 1 .3ohm
Size:95*30*10mm
Type C charging port

Packman V1



Battery Capacity: 380mAh
Resistance: 1.5 ohms
Oil hole: 4*1.5mm
Oil capacity: 2.0ml
Single weight :30 grams

Packman V2



Battery Capacity: 400mAh
Resistance: 1.5 ohms
Oil hole: 4*1.5mm
Oil capacity: 2.0ml
Single weight :28 grams

Hidden hills



Battery Capacity: 350mAh
Resistance: 1.5 ohms
Oil hole: 4*1.5mm
Oil capacity: 2.0ml
Single weight :26 grams

Packwoods x Runty



Oil capacity: **1.0 /2 ml**
Battery capacity: 280 mAh
Tank coil: Vertical ceramic coil
Intake hole: 4*1.4mm
Resistance: 1 .3ohm
Type C charging port

Cookies



Oil capacity: **1ml /2.0ml**
Battery capacity: 280mAh
Size:97*19.8*12.3mm
Intake hole: 4*1.4mm
Resistance: 1.2 ohm
TYpe C charging port

Flying Monkey



Oil capacity: **1ml /2ml**
Battery capacity: 280mAh
Size: 69.5*38*11.5mm
Intake hole: 4*1.5mm
Resistance: 1 .4ohm
Type C charging port

Packs



Battery Capacity: 300mAh
Resistance: 1.2 ohms
Oil hole: 4*1.6mm
Oil capacity: 2.0ml
Single weight :30 grams

Big Chief



Battery Capacity: 300mAh
Resistance: 1.2 ohms
Oil hole: 4*1.4mm
Oil capacity: 1.0 ml
Single weight :19 grams

California honey



1. Battery capacity : 320 MAH
- 2 Full glass cartridge
3. Capacity :1.0 ml
4. Resistance:1.4 ohm

BURST



Tank Capacity: 2.0 ML
Battery Capacity: 350mAh
Dimensions: 96x 21.5x 11.4D
Oil inlet hole:4*1.5mm
Type-C Charging Enabled

Cake V8



Oil Capacity :3ml
Battery capacity: 300 mAh
Resistance: 1.2ohm
Intake holes :4*1.5mm
Size:69.5*33*13.5mm
Type-c charging port
With preheat function

Jeeter



Oil Capacity :1.0 ml
Battery capacity : 180 mah
oil intake hole : 4*2.0 mm
Resistance:1.5 ohm

Model P02



Battery capacity: 350mAh Pure
Size: mm The net weight: 45g
Oil capacity: 1.5/2.0ml
Tank coil: Vertical ceramic coil
Intake hole: 4*2.0mm
Voltage:3.5V
Resistance: 1 .2ohm
Rechargeable usb charging port

Model P03



Battery capacity: 350 mAh
Size: mm
Oil capacity: 1.0 ml
Tank coil: Vertical ceramic coil
Intake hole: 4*1.8mm
Voltage:3.6V
Resistance: 1 .2ohm
Rechargeable usb charging port

Model P04



2 ml

Battery capacity: 550mAh
Size: 11.8*126mm
The net weight: 34g
Oil capacity: 2.0ml
Tank coil: Vertical ceramic coil
Intake hole: 4*1.8mm
Resistance: 1 .2ohm
Micro usb charging port

Model P06



Battery capacity: 320 mAh
Size: 10.5*120mm
Oil capacity: 1.0 ml
Tank coil: Vertical ceramic coil
Intake hole: 4*1.4mm
Voltage:3.6V
Resistance: 1 .2ohm
Rechargeable usb charging port

Model P07



Oil capacity: 2.0ml
Battery capacity: 350mAh
Size: 110*14mm
Intake hole: 4*2.0mm
Resistance: 1 .4ohm
Micro usb charging port

Model P08



Oil capacity: 1.0ml
Battery capacity: 350mAh
The net weight: 28.5 g
Tank coil: Vertical ceramic coil
Intake hole: 4*1.4mm
Resistance: 1 .2ohm
Micro usb charging port

Model P09



Cotton free ceramic coil press on
Battery capacity: 320 mAh
Size: ϕ 12*122mm/ ϕ 12*130mm
Oil capacity: **0.5ml/1.0 ml**
Tank coil: Vertical ceramic coil
Intake hole: 4*1.6*1.7mm
Resistance: 1.2ohm
Rechargeable usb charging port

Model P10



Cotton free ceramic coil press on
Battery capacity: 320mAh
Size: ϕ 10.5*105m
Oil capacity: **0.5ml/1.0 ml**
Tank coil: Vertical ceramic coil
Intake hole: 1.0*2.5*2mm
Resistance: 1.2ohm
Micro usb charging port

Model P11



Cotton ceramic coil press one
Battery capacity: 320mAh
Size: ϕ 10.5*105m
Oil capacity: **0.5ml/1.0 ml**
Tank coil: Vertical ceramic coil
Intake hole: 1.0*2.5*2mm
Resistance: 1.2ohm
Micro usb charging port

Model P12



All glass type

Battery capacity: 280 mAh

Size: ϕ 12*103.5mm

Oil capacity: 1.0 ml

Tank coil: Vertical ceramic coil

Intake hole: 4*1.4mm

Voltage: 3.6V

Resistance: 1.4ohm

Rechargeable usb charging port

Model P14



All glass type with lock

Battery capacity: 280 mAh

Size: ϕ 12*114mm

Oil capacity: 1.0ml

Tank coil: Vertical ceramic coil

Intake hole: 4*1.4mm

Resistance: 1.4ohm

Type C charging port

Model P15



Oil capacity: 1.0ml

Battery capacity: 350mAh

Size: 95/110*14 mm

Intake hole: 4*1.5mm

Resistance: 1.3ohm

Micro usb charging port

CBD Vape Carts



Model S01



**510 thread Screw Up type/
Press ON type CCELL**

Size: 62*10.5mm

Oil capacity: 0.5/1ml

Tank coil: Vertical ceramic coil

Intake hole: 4*2.0/1.6mm

Resistance: 1 .2ohm

Glass Tank Environmentally friendly copper

Model F01



**510 thread Screw Up type/
Press ON type CCELL**

Size: 62*10.5*1.0mm

Oil capacity: 0.5/1ml

Tank coil: Vertical ceramic coil

Intake hole: 4*2.0/1.6mm

Resistance: 1 .2ohm

Glass Tank LEAD FREE copper

Model G5



510 thread Press ON type

Size: 57.3*10.5*1.0mm

Oil capacity: 0.5/1ml

Tank coil: Vertical ceramic coil

Intake hole: 4*2.0/1.8/1.6mm

Resistance: 1 .2ohm

Plastic tank Environmentally friendly copper

Private Model S02



510 thread Screw Up type

Size:mm

Oil capacity: **1.5/2ml**

Tank coil: Vertical ceramic coil

Intake hole: 4*2.0/1.6mm

Resistance: 1.2ohm

Ceramic coil heating wire

Glass Tank Environmentally friendly copper

Model S03



510 thread Screw Up type / Press ON type

Size:mm

Oil capacity: **0.5/1ml**

Tank coil: Vertical ceramic coil

Intake hole: 4*2.0/1.6mm

Resistance: 1.2ohm

Ceramic coil heating wire

Glass Tank Environmentally friendly copper

Model F03



510 thread Screw Up type / Press ON type

Size: 57.3*10.5*1.0mm

Oil capacity: **0.5/1ml**

Tank coil: Vertical ceramic coil

Intake hole: 4*2.0/1.8/1.6mm

Resistance: 1.2ohm

Glass tank LEAD FREE copper

Model S04



Cottonless full ceramic cart

Tank Volume: 1.0 ml/0.5 ml

Resistance: 1.2Ω Dimensions:

φ11.5*63.5mm/

φ10.5*51mm

Intake Hole Size: 1.6*1.7mm*4

Weight:Material: Ceramic

Thread: 510

Bigger smoke ,Better Taste

Model S05



510 thread/Press ON type

Size:φ10.5*55.45mm/φ10.5*65.85mm

Intake Hole Size: 1.3*3.0mm*2 Weight:

10.7g/12.6g/11.9g

Oil capacity: 0.5/1ml

Tank coil: Vertical ceramic coil

Resistance: 1.2ohm

Glass tank Ceramic

Model S10



510 thread / Press ON type

Tank Volume: 1.0ml/0.5ml

Resistance: 1.2Ω

Dimensions: φ10.5*55.45mm/

φ10.5*65.85mm

Intake Hole Size: 1.3*3.0mm*2

Weight: 10.7g/12.6g/11.9g

Material: Ceramic

Thread: 510

Model S06



510 thread Screw Up type

Size:D 10.5mm & 62 mm

Tank Volume: 1.0ml/0.5ml

Resistance: 1.2Ω

Dimensions: D 13mm & L 58mm

Intake Hole Size: 4*2.0mm

Weight: 12.6g/11.9g

Thread: 510

Glass tank

Environmentally friendly copper

Model S06



510 thread Screw Up type

Size:D 10.5mm & 62 mm

Intake Hole Size: 4*2.0mm

Weight: 10.7g/12.6g/11.9g

Oil capacity: 0.5/1ml

Tank coil: Vertical ceramic coil

Resistance: 1.2ohm

Glass tank

Environmentally friendly copper

Wood tip S07



510 thread Screw Up type

Size:φ10.5*61.5 mm

Intake Hole Size: 4*2.0/1.6mm

Weight: 9.5g

Oil capacity: 0.5/1ml

Tank coil: Vertical ceramic coil

Resistance: 1.2ohm

Glass tank

Environmentally friendly copper

Model S10



2.0ml

510 thread Screw Up type

Tank Volume: 1.0ml/0.8ml/0.5ml

Resistance: 1.2Ω

Dimensions: D 10.5mm & L 52mm

Intake Hole Size: 4*2.0mm

Weight: 16.5g(0.5ml)

Thread: 510

Glass tank Environmentally friendly copper

Rove model



Size:φ10.5*61.8mm

Intake Hole Size: 4*1.6/1.8mm

Weight: 12.6g

Oil capacity: 0.8/1ml

Tank coil: Vertical ceramic coil

Resistance: 1 .2ohm

Glass tank Environmentally friendly copper

Model S12



510 thread Glass type

Size:11*39.5/50.3MM

Intake Hole Size: 4*1.6 mm

Weight: 9 g

Oil capacity: 0.8 ml

Tank coil: glass coil

Resistance: 1 .2ohm

Glass tank

Model S08



510 thread Screw Up type

Tank Volume: 1.0ml/0.8ml/0.5ml
Resistance: 1.2Ω
Dimensions: D 10.5mm & L 52mm
Intake Hole Size: 4*2.0mm
Weight: 16.5g(0.5ml)
Thread: 510
Glass tank
Environmentally friendly copper

Big Chief model



510 thread Screw Up type

Size: φ10.5*61.8mm
Intake Hole Size: 4*1.2mm
Weight: 12.6g
Oil capacity: 0.5/1ml
Tank coil: Vertical ceramic coil
Resistance: 1.2ohm
Glass tank
Environmentally friendly copper

GCC model



510 thread Screw Up type

Size: φ10.5*57mm
Intake Hole Size: 4*2.0 mm
Weight: 12 g
Oil capacity: 0.8/1ml
Tank coil: Vertical ceramic coil
Resistance: 1.2ohm
Glass tank
Environmentally friendly copper

Model S09



510 thread Press on type

Tank Volume: 1.0ml

Resistance: 1.2Ω

Dimensions: D 10.5mm & L 52mm

Intake Hole Size: 4*1.6*1.7 mm

Full ceramic cart 4 holes

Model S10



510 Screw Up type

Size: φ11.5*55.6 mm

Intake Hole Size: 4*1.6*1.7mm

Weight: 12.6g

Oil capacity: 1ml

Tank coil: Vertical ceramic coil

Resistance: 1.2ohm

Full ceramic cart 4 holes

GCC model



510 thread Screw Up type

Size: φ10.5*57mm

Intake Hole Size: 4*2.0 mm

Weight: 12 g

Oil capacity: 0.8/1ml

Tank coil: Vertical ceramic coil

Resistance: 1.2ohm

Glass tank

Environmentally friendly copper

Classic Vape Pen Batteries



InterEar



InterEar





510 thread 280 mah type
Battery capacity : 280 mah
Size :9.5*75 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
No charging port



510 thread 350 mah type
Battery capacity : 350 mah
Size :10.5*90 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
with /without micro usb charging port



510 thread 350 mah type
Battery capacity : 280/350 mah
Size :11.2*87 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
No charging port
With blister package and usb charger

Model B02



510 thread 380 mah type
Battery capacity : 380 mah
Size :11.2*89 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage function
Micro USB charging port

Model B02



510 thread 350 mah type
Battery capacity : 280/350 mah
Size :10.5*90 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
with /without micro usb charging port

Model B03



510 thread 350 mah type
Battery capacity : 280/350 mah
Size :11.2*87 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
No charging port
With blister package and usb charger



510 thread 350 type
Bottom voltage regulation
Battery capacity : 350 mah
Size :11.2*101/96 mm
Power on/off:click 5 times
Preheat : click 2 times
No charging port
without micro usb charging port



510 thread 650 mah type
with bottom charging port
Battery capacity : 650 mah
Size :14*101 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
with micro usb charging port



510 thread 900 mah type
with bottom charging port
Battery capacity : 900 mah
Size :14*120 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
with micro usb charging port

Model B08



510 thread 1100 type
Bottom charging port
Battery capacity : 1100 mah
Size :14*140 mm
Power on/off:click 5 times
Preheat : click 2 times
Adjust voltage:click 3 times
with micro usb charging port

Model B09



510 thread 1100 mah type
Bottom voltage regulation
Battery capacity : 1100 mah
Size :14*117 mm
Power on/off:click 5 times
Preheat : click 2 times
without usb charging port

Model B00



510 thread 900 mah type
Bottom voltage regulation
Battery capacity : 1100 mah
Size :14*117 mm
Power on/off:click 5 times
Preheat : click 2 times
without usb charging port

Model B06



510 thread 650 mah battery

Bottom voltage regulation

Battery capacity : 650 mah

Size :14*108 mm

Power on/off:click 5 times

Preheat : click 2 times

No charging port

without micro usb charging port

Model B09



510 thread 900 mah battery

Bottom voltage regulation

Battery capacity : 900 mah

Size :14* mm

Power on/off:click 5 times

Preheat : click 2 times

without micro usb charging port

Model B11



510 thread 1100 mah battery

Bottom voltage regulation

Battery capacity : 1100 mah

Size :14* mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

No charging port

Smart battery



510 thread 280/350 mah battery

Battery capacity : 280 mah /350 mah

Size :11.2*87 mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

No charging port

No package

Max battery



510 thread 280/350 mah battery

Battery capacity : 280 mah /350 mah

Size :11.2*87 mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

No charging port

Package size :175*40*20mm

With female usb charger

Model J02



510 thread Screw up type

Battery capacity : 280 mah /350 mah

Size :11.2*87 mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

No charging port

Blister size :74*140 mm

With blister package and usb charger

Model J01



510 thread 350 mah battery

Battery capacity : 350 mah

Size :11.2*87 mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

Micro usb charging port

Gift box with usb charging cable

Model J01



510 thread 350 mah battery

Battery capacity : 350 mah

Size :11.2*87 mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

micro usb charging port

With usb charging cable

Package size :mm

Model J01



510 thread 350 mah type

Bottom voltage regulation

Battery capacity : 350 mah

Size : mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

With blister package

No charging port

Model J06



510 thread 650/900 mah

Battery capacity : 650 mah /900 mah

Size :14*96mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

No charging port
with usb charger

Package size :120*32.5*31.5 mm

Model J07



510 thread 900 mah type

Bottom voltage regulation

Battery capacity : 900 mah

Size :14*108 mm

Power on/off:click 5 times

Preheat : click 2 times

No charging port

Package size :m

compatible with female usb charger

Model J08



510 thread 900 mah type

Bottom voltage regulation

Battery capacity : 900 mah

Size :14*108 mm

Power on/off:click 5 times

Preheat : click 2 times

No charging port

With package and usb charger

Carton size: 54*40*25cm

360 pcs /12 boxes / carton

Weight :16.8 kg

Model J03



510 thread 650/900/1100 mah

Battery capacity : 650 mah /900 /1100 mah

Size :mm

Power on/off:click 5 times

Preheat : click 2 times

Adjust voltage:click 3 times

Type C charging port

Model J04



510 thread 900 mah type

Bottom voltage regulation

Battery capacity : 1100 mah

Size :14*118.5 mm

Power on/off:click 5 times

Preheat : click 2 times

No charging port

Package size :m

compatible with female usb charger

Cookies 900mah



Buttonless battery

Battery capacity : 320 mah

Size : 10.5*74 mm

Weight :15 g

No charging port





